



POLARIS
GENERAL[®]



MODELS, PARTS,
GARMENTS & ACCESSORIES

2024

UNLOCK MORE ADVENTURE

Off-road's premier family of adventure side-by-sides. No matter which GENERAL you choose, you begin every adventure with ultimate versatility for play and work, comfort for the long haul, and performance where it matters. When you customize with Polaris Engineered Accessories you have the confidence to take on any task or any trail.



BRING IT ALL. BRING IT ON.

Industry-exclusive Rhino-Rack storage solutions for GENERAL. Transform your vehicle for work, play or anything in between with durable and easy-to-use bed racks and load securing attachments.

05 CHOOSE YOUR GENERAL MODEL

06 FEATURES

09 VEHICLE SPECIFICATIONS

10 ACCESSORIES

10 WINDSHIELDS & REAR PANELS

12 DOORS

14 ROOFS

15 VEHICLE & RIDER PROTECTION

16 STORAGE

19 CAB COMFORT

20 HUNT

22 AUDIO

24 LIGHTING

26 WHEELS & TYRES

34 WINCHES

35 PLOWS & TRACKS

2024 LINEUP

GENERAL



GENERAL 1000 SPORT

GENERAL XP



GENERAL XP 1000 SPORT



GENERAL XP 4 1000 SPORT





MAKE ANYTHING
AN ADVENTURE



CHOOSE YOUR GENERAL MODEL

**GENERAL 1000
SPORT**



**GENERAL XP 1000
SPORT**



**GENERAL XP 4 1000
SPORT**





GENERAL 1000 SPORT

GENERAL XP 1000 SPORT



1000 STANDARD FEATURES:

- Premium Half Doors
- ZF Sachs Twin Tube Shocks
- Sport Chassis
- 27" CST Clincher Tyres

XP 1000 SPORT ALSO INCLUDES:

- 30" Pro Armor Crawler XG Tyres
- Walker Evans Velocity Series Shocks
- Polaris HD 2,041 KG Winch
- Poly Sport Roof
- Low-Profile Sport Bumper

COMMON SPECS





UNLOCK MORE
ADVENTURE





GENERAL 1000 SPORT



GENERAL XP 1000 SPORT




GENERAL XP 4 1000 SPORT

| | | | |
|---|--|--|--|
| HORSEPOWER | 100 HP | 100 HP | 100 HP |
| DISPLACEMENT | 999 cc | 999 cc | 999 cc |
| DRIVE SYSTEM | True On-Demand AWD/2WD/ VersaTracTurf Mode | True On-Demand AWD/2WD/ VersaTracTurf Mode | True On-Demand AWD/2WD/ VersaTracTurf Mode |
| ENGINE BRAKING SYSTEM / ACTIVE DESCENT CONTROL | Not Equipped / Not Equipped | Not Equipped / Not Equipped | Not Equipped / Not Equipped |
| FRONT SUSPENSION | Dual A-Arm with Stabilizer Bar, 31.1 cm Travel | Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel | Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 35.6 cm Travel |
| REAR SUSPENSION | Dual A-Arm with Stabilizer Bar, IRS 33.5 cm Travel | Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 Travel | Long Travel, High Clearance Dual Arm IRS with Stabilizer Bar, 35.6 cm Travel |
| WHEELBASE | 206 cm | 211 cm | 292 cm |
| TYRES | 27" CST Clincher | 30" Pro Armor Crawler XGF | 30" Pro Armor Crawler XGF |
| DRY WEIGHT | 645 kg | 750 kg | 885 kg |
| OVERALL VEHICLE SIZE (L X W X H) | 295.6 x 158.7 x 187 cm | 300 x 162.5 x 190.5 cm | 381.5 x 162.5 x 195.1 cm |
| GROUND CLEARANCE | 30.5 cm | 34.3 cm | 34.3 cm |
| SEATING CAPACITY | 2 | 2 | 4 |
| FUEL CAPACITY | 35.9 L | 35.9 L | 35.9 L |
| FRONT/REAR RACK OR BOX CAPACITY | N.A / 272 kg Rear Dumping Box | N.A / 272 kg Rear Dumping Box | N.A / 272 kg Rear Dumping Box |
| PAYLOAD CAPACITY | 499 kg | 499 kg | 499 kg |
| HITCH TOWING RATING | 680 kg | 680 kg | 680 kg |
| ELECTRONIC POWER STEERING | Standard | High Output EPS | High Output EPS |

WINDSHIELDS


Keep the elements out and control air flow into the cab.



GLASS vs POLY

Superior optical clarity (automotive level)
 Scratch-resistant
 Curved to fit, seals tight
 Cold weather / heavy duty
 Wiper-ready

Lightweight, flexible, easy to store/remove
 Impact-resistant
 Tight seal keeps out rain and dust
 Hard Coat: 30x more scratch resistance than regular poly



GLASS



TIP-OUT WINDSHIELD - GLASS TOP SELLER

» 2881108
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



FULL WINDSHIELD - GLASS TOP SELLER

» 2889064
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

» 2881090
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24

HARD COAT POLY



VENTED WINDSHIELD - HARD COAT POLY

» 2884223
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



FLIP-DOWN WINDSHIELD - HARD COAT POLY

» 2889156
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



FULL WINDSHIELD - HARD COAT POLY

» 2884337
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



Integrated vents give you the ability to add extra airflow on hot summer days or defrost your windshield on the coldest winter mornings



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.



REVOLUTIONARY
INSTALLATION



AIRTIGHT
GASKET SEAL

POLY



HALF WINDSHIELD - POLY

» 2881111

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



REAR PANELS

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



ADD A REAR PANEL
TO REDUCE

**DUST
SWIRL**



REAR PANEL - GLASS **TOP SELLER**

» 2881113

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



REAR PANEL - POLY **TOP SELLER**

» 2881112

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

DOORS

COMPLETE YOUR CAB. GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



POLARIS ENGINEERED ADVANTAGES



PREMIUM INTERIOR HANDLE AND LINER



A PERFECT FIT FOR THE PERFECT SEAL

REPLACE STOCK HALF DOORS

PREMIUM POLY FULL DOORS

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- Soft-touch, easy-to-clean premium interior liner

A 2-SEAT

- Six-way glass window adjustability

» 2889809

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

B 4-SEAT

- Push-out windows
- Kit includes B-pillar cover seal

» 2889810

GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '17-24





ADD UPPER DOORS TO STOCK HALF DOORS

ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

C 2-SEAT

» 2882548

GENERAL XP 1000 '20-24
GENERAL 1000 '18-24

NOT SHOWN

4-SEAT

» 2883453

GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '18-24



**RHINO-RACK
STORAGE
SOLUTIONS**

SEE P. 18

ROOFS


Protect yourself from the elements. The right roof shields you from the sun and driving rain.



A PERFECT FIT FOR THE PERFECT SEAL



PREMIUM FEATURES & QUIETER RIDE



KEEP MOISTURE MOVING

POLARIS ENGINEERED ADVANTAGES

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

ALUMINUM VS POLY

2-SEAT

ROOF - ALUMINUM

»2881105
GENERAL XP 1000 '20-24
GENERAL 1000 '16-24



High protection strength
Lower profile
Sleek style

Water run-off
Pre-existing mounting features
Liner ready
Lightweight

PREMIUM ROOF - POLY

»2883800
GENERAL XP 1000 '20-24
GENERAL 1000 '16-24



INCLUDES PREMIUM ROOF LINER



4-SEAT

PREMIUM ROOF - POLY

»2883801
GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '17-24



INCLUDES PREMIUM ROOF LINER

SPORT ROOF - POLY

»2883780
GENERAL XP 1000 '20-24
GENERAL 1000 '16-24

TOP SELLER



SPORT ROOF - POLY

»2883781
GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '17-24

TOP SELLER



POLY ROOF LINER

»2883802
GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '17-24
Compatible with Sport Roof - Poly (2883781), sold separately



VEHICLE & RIDER PROTECTION

Arm your GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.



EXPANSION ANCHOR MOUNTS

Tough expansion anchor mounts allow for quick install of rock sliders and bumpers without damaging the vehicle's frame.



UNEXPANDED



EXPANDED

FENDER FLARES / A-ARM GUARDS

A XL FENDER FLARES

» FRONT & REAR • 2884220

GENERAL 1000/4 '16-24
STANDARD ON GENERAL XP MODELS

Not compatible with Low Profile Rock Sliders

B HIGH CLEARANCE A-ARM GUARDS

» FRONT • 2884221

GENERAL XP 1000/4 '20-24

» REAR • 2884222

GENERAL XP 1000/4 '20-24

ROCK SLIDERS

C EXTREME KICK-OUT ROCK SLIDERS

• Compatible with XL Fender Flares

» 2-SEAT • 2881101

GENERAL XP 1000 '20-24
GENERAL 1000 '16-24

» 4-SEAT • 2881992

GENERAL XP 4 1000 '20-24
GENERAL 4 1000 '17-24

LOW PROFILE ROCK SLIDERS

» 2881102 [NOT SHOWN]

GENERAL 1000 '16-24

Not compatible with XL Fender Flares

SPORT BUMPERS

D SPORT LOW PROFILE FRONT BUMPER

» 2881094 TOP SELLER

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

E SPORT UPPER FRONT BUMPER

» 2881525

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Requires Sport Low Profile Front Bumper
Not compatible with Front Hood Storage Rack (2889157)

SPORT REAR BUMPER

» 2884345 [NOT SHOWN]

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

STORAGE



BRING IT ALL. BRING IT ON.

From opposite sides of the globe, some of the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive, purpose-built roof racks, bed racks and attachments that help GENERAL riders get the most out of their next adventure.



ACCESSORIES

WINDSHIELDS
& REAR PANELS

DOORS

ROOFS &
PROTECTION

STORAGE, CAB
COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS
& TRACKS



REAR BED RACK



REAR BED RACK

- The ultimate modular load carrying solution
- Strong, lightweight aluminum construction tested in the harshest conditions
- Quickly adapt your vehicle from workday to weekend with a wide array of Rhino-Rack attachments

» 2889443

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

ATTACHMENTS




GUN MOUNTING BRACKET

- Mount Kolpin Stronghold Gun Boots to Rhino-Rack systems when paired with Auto-Latch Mount (2884106), sold separately

» 2889327

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

See P. 22 for more hunt information



TRACTION BOARD MOUNT

- Strong, durable and easy to attach
- Traction boards sold separately

» 2889530

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



EYELET TIE-DOWNS

- Attach in multiple locations on the platform for additional tie-down points
- Anti-corrosive, galvanized steel for heavy duty strength
- Includes one set with hardware (straps not included)

» 2889527

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



CARGO CORNER BRACKET

- Mount a NorthStar cooler or toolbox to the platform and save space inside the vehicle (straps not included)
- A unique, anti-rotation nut offers maximum security

» 2889531

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



MULTI-PURPOSE TOOL HOLDER

- Carry and protect tools, paddles and more
- Ratchet-locking mechanism for quick release and rubber inserts that secure gear into place

» 2889528

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



200L LUGGAGE BAG

- Carry bulky, lightweight gear in this tear- and weather-resistant canvas bag

» 2889881

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24




HIGH LIFTING JACK MOUNT

- Simple, quick install with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions

» 2889533

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

STORAGE



A **LR LOCK RIDE** REAR ADVENTURE RACK

• Mount is solid, does not fold

» 2885113

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

See P. 23 for more info

B **LR LOCK RIDE** KOLPIN STRONGHOLD MOUNT

» 2885114

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

See P. 23 for more info

C CARGO BED MAT

» 2881933

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

D **LR LOCK RIDE** TIP-DOWN HEADACHE RACK

» 2882144

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24


Not compatible with Kolpin Stronghold Mount (2885114)

E **LR LOCK RIDE** BED EXTENDER

» 2881547

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Not compatible with Kolpin Stronghold Mount (2885114)



BEHIND SEAT STORAGE BAG

» 2882164

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



IN-DASH STORAGE BAG

» 2882165

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



FRONT HOOD RACK

» 2889157

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



EASILY RECONFIGURE FOR ANY TASK OR ANY TRAIL

F **LR LOCK RIDE** CARGO BOX

» 2881527

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Includes all mounting hardware for secure installation

LR LOCK RIDE D-RINGS **TOP SELLER**

» 2881545

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



FIRE EXTINGUISHER HOLDER

» 2882158

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Fits most 8.25 cm fire extinguishers (not included)



CAB COMFORT



TOP SELLER
8-VENT HEATER AND DEFROST SYSTEM 

» 2881316
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24
 Not Compatible with Rockford Fosgate Stage 4 Audio Kits
 Audio Bracket (2885112) required to install heater on vehicles with RIDE COMMAND and audio, sold separately



TOP SELLER
WINDSHIELD WIPER AND WASHER SYSTEM 

» 2881090
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24

SEE P. 12 FOR
WINDSHIELDS



CONVEX REAR VIEW MIRROR

» 2881540
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



NEW
SIDE VIEW MIRRORS

- Mounts on any vehicle that is equipped with doors
- Fully adjustable and can fold in to prevent being struck

» 2889243
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24




NEW
HORN KIT

» 2890589
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



FLOOR MATS




» 2881934
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '16-24



MULTI-FUNCTION CAB LIGHT 

- LED dome light provides white, red, green and blue lighting options
- Removable to use as flashlight, battery-operated, recharges when vehicle is on

» 2884047
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '19-24

Red light is great for reading maps 
 Green light is perfect for navigating in the dark 
 Blue light is ideal for night riding 

ELECTRICAL INSTALLS MADE EASY WITH
PLUG & PLAY

- To install accessories, simply plug the harness into the Polaris PULSE bar
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time



TOP SELLER
POLARIS PULSE LED LIGHT BAR HARNESS

• Required to easily add electric components

» 2883785
 GENERAL XP 1000/4 '20-24
 GENERAL 1000/4 '19-24

HUNT



KOLPIN
OUTDOORS

**PROTECTING YOUR
ESSENTIAL GEAR SINCE 1943**

KOLPIN STRONGHOLD CASES & MOUNTS



KOLPIN STRONGHOLD GUN BOOT XL

- Includes zippered internal liner
- Lockable

» 2882036

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Auto-Latch Mount (2883970 or 2884106)
required, sold separately



KOLPIN STRONGHOLD GUN BOOT L

» 2882426

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Auto-Latch Mount (2883970 or 2884106)
required, sold separately



KOLPIN STRONGHOLD AUTO-LATCH MOUNT

» 2884106

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



KOLPIN STRONGHOLD AUTO-LATCH DOUBLE GUN BOOT MOUNT

» 2883970

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

RHINO-RACK® MOUNT



GUN MOUNTING BRACKET

- Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack systems when paired with Auto-Latch Mount (2884106), sold separately

» 2889327

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

See P. 18 for more Rhino-Rack® products

ACCESSORIES

WINDSHIELDS
& REAR PANELS

DOORS

ROOFS &
PROTECTION

STORAGE, CAB
COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS
& TRACKS



STORAGE



REAR ADVENTURE RACK

- Take more gear with integrated MOLLE panels and Lock & Ride installation
- 28 L or 57 L Polaris coolers will still fit in bed with rack installed
- Compatible with (1) Kolpin Stronghold Mount

»2885113

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



KOLPIN STRONGHOLD MOUNT

- Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to the Rear Adventure Rack

»2885114

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

KOLPIN RHINO GRIPS IDEAL FOR BOWS & UNCASSED GUNS



RHINO GRIP PRO

»2884107

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



RHINO GRIP XLR - DOUBLES

»2889166

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



RATCHETING RHINO GRIP

»2881575

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



RHINO GRIP PRO REPLACEMENT RUBBER STRAPS (2)

»2884109


GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



RHINO GRIP XLR REPLACEMENT RUBBER STRAPS (2)

»2889204

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



PLUG AND PLAY



ELEMENT READY™



NO LOSS OF CARGO SPACE



BLUETOOTH CAPABLE

An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and rider-centric to create a class leading audio experience that is second to none.



TOP SELLER

STAGE 1 AUDIO KIT PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS & ANTENNA

- 6.86 cm full color display with AM/FM/WB tuner, Pandora Control and Bluetooth Connectivity
- 50 Watt 16.51 cm front coaxial speakers with enclosures and grilles

» 2884282

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '20-24



STAGE 3 PMX AUDIO KIT + REAR SPEAKERS

- Two, 50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

» 2885162

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24



TOP SELLER

STAGE 3 RIDE COMMAND AUDIO KIT + REAR SPEAKERS

- Two, 50 Watt 16.51 cm front and rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

» 2885163

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Requires 7" Display with RIDE COMMAND (2884072) & 7" Display Mount Kit (2884283), both sold separately



STAGE 4 UPGRADE POWERED SUBWOOFER

- Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 400 Watt 25.4 cm subwoofer
- Compatible with Stage 1 and Stage 3 Audio Kits

» 2889306

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Not Compatible with Heater Kit (2881316)
Requires RIDE COMMAND. For use with PMX, substitute for 2889053



BUILD YOUR SOUND

HEAD UNIT:

PMX-P2

RIDE COMMAND

AUDIO:

STAGE 1 AUDIO KIT

STAGE 3 + 4 UPGRADES

STAGE 3 RIDE COMMAND AUDIO KIT

XP + DELUXE

STAGE 1 AUDIO KIT WITH PMX-P2 HEAD UNIT INSTALLED

STAGE 3 + REAR SPEAKERS UPGRADE
REAR SPEAKERS, AMP + AUDIO BRACKET
2885162

RIDE COMMAND + STAGE 3 AUDIO SYSTEM BY ROCKFORD FOSGATE INSTALLED

To add 8-Vent Heater & Defrost System (2881316), Subwoofer must be removed and Amp Relocation Bracket (2885112) must be installed

+
OPTIONAL SUBWOOFER

PREMIUM + DELUXE

STAGE 1 AUDIO KIT
PMX HEAD UNIT + FRONT COAXIAL SPEAKERS + ANTENNA
2884282

STAGE 4 UPGRADE
SUBWOOFER
2889306
Not compatible with 8-Vent Heater & Defrost System (2881316)

Requires RIDE COMMAND.
For use with PMX, substitute for 2889053

7" DISPLAY WITH RIDE COMMAND*

2884072

+
7" DISPLAY MOUNT KIT

2889338

2020-2024 MODELS

+
STAGE 3 UPGRADE

REAR SPEAKERS, AMP + AUDIO BRACKET
2885163

+
STAGE 4 UPGRADE

SUBWOOFER
2889306

Not compatible with 8-Vent Heater & Defrost System (2881316)

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

*Due to ongoing supply chain issues, there may be delayed or limited availability of this product as an accessory add-on.

**ADVANCED
TECH**

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powdercoating.

**EXCLUSIVE
OPTICS**

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

LIGHT BAR TYPES



SR-SERIES PRO


Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage.
Available in 25.4 cm & 81.3 cm



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage.
Available in Driving, Flood & Spot


LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the optics, angle & how you will use your vehicle to choose the right light or set of lights.

| OPTICS LIGHT ANGLE | ACCENT | DRIVING (45°) | FLOOD (25°) | SPOT (10°) | COMBO (25°/10°) |
|------------------------|--|----------------------|---------------------------------------|--------------------------|--------------------------|
| DRIVING SPEED | All | Slow to medium | Slow to medium | High | All |
| BEAM | Diffused glow | Extra-wide | Wide/shorter | Concentrated/long | Inner spot & outer flood |
| RECOMMENDED MOUNTING | Low/wheel well | All points | Low/rear | High points | All points |
| TERRAIN & RIDING STYLE | Added style & personalization in any terrain | All riding & utility | Wide-open terrain or trails & utility | Trail & tight conditions | All riding & utility |



WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

MAX PERFORMANCE
Validated to work as hard as your machine does

DOESN'T OVERTAX
Trust it to work when you need it to

PRO ARMOR®



ACCESSORIES

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



DUAL-ROW LED

The most spread and farthest illumination downrange. Easy to mount.
Available in 27.9 cm & 78.7 cm



SINGLE-ROW LED

Powerful, compact, low-profile light bars with sleek look.
Available in 27.9 cm, 50.8 cm, & 101.6 cm



CUBE LED

Small size allows mounting in strategic locations for added lighting.
Available in Spot

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO


LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

COMBO

OPTICS



| Model | Beam Width (cm) | Beam Height (m) | Raw Lumens |
|----------------------------|-----------------|-----------------|------------|
| RIGID SR-SERIES 20,064 | 81.3 | 1,200 | 2884299 |
| RIGID SR-SERIES 7,920 | 25.4 | 960 | 2883123 |
| PRO ARMOR SINGLE-ROW 7,600 | 101.6 | 720 | 2889793 |
| PRO ARMOR SINGLE-ROW 7,500 | 83.8 | 480 | 2889791 |
| PRO ARMOR DUAL-ROW 13,500 | 78.7 | 240 | 2889790 |
| PRO ARMOR SINGLE-ROW 4,700 | 50.8 | 240 | 2889792 |

1,200 m
960 m
720 m
480 m
240 m

BRAND SIZE TYPE
RAW LUMENS
PN

ADD A HARNESS TO MOUNT YOUR LIGHTS

| MODEL | LIGHT BAR SET-UPS | |
|----------------------|--|--|
| | 1 LIGHT IN 1 LOCATION ON 1 SWITCH | 2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH |
| 2019-2024 ALL MODELS | POLARIS PULSE LED LIGHT BAR HARNESS 2883785 | POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860 |



NEW LIGHT BAR MOUNT

- Optional cast mount for added style
 - Compatible with all Pro Armor light bars
- » 2890053

⚠ No battery connection cables required on any model/model year GENERAL 1000.

All RIGID and Pro Armor lights are Polaris PULSE ready.

WHEELS & TYRES



KNOW YOUR TYRES

| DIMENSIONS | | | USAGE | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-------------------------------------|-------------------|-----------------------|----------------------------|--|---|------------------------------------|--|-------------------------------------|
| 30" x 10" R15 Part Number | | | FRONT/ REAR | 16 mm | 18 kg | 8 | 3 | 499 kg |
| TYRE HEIGHT | TYRE WIDTH | WHEEL DIAMETER | Where can you use the tyre | Deeper treads have more grip in all conditions | A lighter tyre makes for improved vehicle performance | Indicates tyre puncture-resistance | Increase your resistance to sidewall punctures | How much weight can the tyre handle |

WAYS TO SHOP >>>

TYRES BY SIZE



PRO ARMOR.

| 27" | 28" | 29" | 30" |
|-----------|------------|-------------|------------|
| HARVESTER | ATTACK 2.0 | DUAL-THREAT | ATTACK 2.0 |
| MUD XC | CRAWLER XG | HD-K | CRAWLER AT |
| TREKKER | CRAWLER XR | MUD XC | CRAWLER XG |
| | HARVESTER | TREKKER | CRAWLER XP |
| | | | CRAWLER XR |
| | | | HARVESTER |
| | | | MUD XC |
| | | | TREKKER |

SUPERIOR PERFORMANCE & DURABILITY

ACCESSORIES

LIFELONG PERFORMANCE

- Every tyre is designed and constructed with longevity in mind
- 3,000+ mile rated (4,828 kilometers)

PREMIUM PROTECTION

- Pro Armor makes tyres with extra protection exactly where it's needed most – the sidewall
- Triple-belted sidewalls keep your tyres more resistant so you can keep going

TOUGH TYRES

- Higher ply ratings mean added protection
- Pro Armor builds 8 or 10-ply rated tyres for higher puncture-resistance

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWES & TRACKS

KNOW YOUR TERRAIN



- Tread patterns optimized for extreme traction
- Ideal for both hard pack & loose trail



- Extra deep treads
- Self-cleaning lugs



- Provides traction & durability
- Performs in hard sand, jagged rocks or any extreme terrain



- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns



- Flexible "grippy" tread
- Aggressive side bite



- Handles extreme cold
- Holds shape & provides traction

KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE
DECREASE OFFSET FROM STOCK = WIDER STANCE

TYRES BY TERRAIN



| TRAIL | ROCK | DESERT | MUD | UTILITY | SNOW |
|-------------|-------------|-------------|--------|-----------|------------|
| ATTACK 2.0 | ATTACK 2.0 | ATTACK 2.0 | MUD XC | HARVESTER | ATTACK 2.0 |
| CRAWLER AT | CRAWLER AT | CRAWLER AT | | HD-K | HARVESTER |
| CRAWLER XG | CRAWLER XG | CRAWLER XG | | TREKKER | HD-K |
| CRAWLER XP | CRAWLER XP | CRAWLER XP | | | |
| CRAWLER XR | CRAWLER XR | CRAWLER XR | | | |
| DUAL-THREAT | DUAL-THREAT | DUAL-THREAT | | | |
| HARVESTER | | | | | |
| HD-K | | | | | |
| MUD XC | | | | | |
| TREKKER | | | | | |

WHEELS BY SIZE

| 14" | 15" |
|--------------------------------|--------------------------------|
| 40-SERIES (11 TYRE OPTIONS) | 50-SERIES (10 TYRE OPTIONS) |
| 4201 | 5201 |
| 4202 | 5202 |
| 4203 BEADLOCK | 5203 BEADLOCK |
| 4204 | 5204 |
| 4205 | 5301 BEADLOCK |
| 4301 BEADLOCK | |
| HD DUAL BEADLOCK | |

TYRES



FRONT/REAR

PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 28" x 10" R14 5415536 | 16 mm | 15 kg | 8 | 3 | 517 kg |
| 15" | 30" x 10" R15 5418254 | | 16.8 kg | | | 581 kg |



WHEEL SIZE

14" 15"



FRONT/REAR

PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tyre ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 30" x 10" R14 5415616 | 20 mm | 17 kg | 8 | 3 | 581 kg |
| 15" | 28" x 10" R15 5416346 | | 15 kg | | | 498 kg |
| 15" | 30" x 10" R15 5416397 | | 18 kg | | | 630 kg |



WHEEL SIZE

14" 15"

WHAT CRAWLER ARE YOU?



XR

SINGLE DUROMETER

- Smaller lug height and single durometer gives this high-speed tyre added rigidity and lateral stability when cornering
- Unique lug design excels in hard-pack, fast terrain



XG

DUAL-DUROMETER

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS



FRONT/REAR

PRO ARMOR CRAWLER AT

- Directional tread for optimum performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING | |
|-----|--------------------------|----------------|-------------|------------|----------------|-------------|--------|
| 15" | 30" x 10" R15 5417534 | FRONT/ REAR | 18 mm | 16 kg | 8 | 3 | 581 kg |



WHEEL SIZE

15"



FRONT/REAR

NEW PRO ARMOR CRAWLER XP

- Ideal for overlanding, rock crawling and desert running with a soft, sticky compound
- Built to maneuver over large and small obstacles
- 8-ply, triple-belted ballistic sidewalls with anti-puncture strength

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING | |
|-----|--------------------------|----------------|-------------|------------|----------------|-------------|--------|
| 15" | 30" x 10" R15 5418329 | FRONT/ REAR | 20 mm | 17 kg | 8 | 3 | 580 kg |



WHEEL SIZE

15"



AT

DIRECTIONAL LUG PATTERN

- The same taller lug height as Crawler XG, providing more grip and better traction
- Wider lug spacing for excellent mud clean-out



XP

DUAL-DUROMETER

- Channeled outer lugs for superior handling in soft dirt and clay
- Extended side lugs for greater traction on rocks and in sand

TYRES



FRONT/REAR

PRO ARMOR ATTACK 2.0

- Engineered for excellent hard pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight thread pattern for a quieter ride

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 15" | 28" x 10" R15 5416344 | 25 mm | 15 kg | 10 | 3 | 503 kg |
| 15" | 30" x 10" R15 5416345 | | 17 kg | | | 560 kg |



WHEEL SIZE

15"

TIGHTER TREAD PATTERN =
Better traction in hard-pack

DUAL-DUROMETER LUG =
Increased grip & traction in rough terrain, smoother ride in all terrain

10-PLY RATED =
Increased durability

LARGER 30" SIZE OFFERING =
More ground clearance & trail traction



FRONT/REAR

NEW PRO ARMOR TREKKER

- Specialized tread design provides a quiet ride
- Graduated lug depth maximizes the contact patch for ultimate predictability
- 8-ply, triple belted nylon construction

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|--------------------|-------------|------------|----------------|-------------|
| 14" | 27" x 10" R14 5418674 | 11-17 mm graduated | 13 kg | 8 | 3 | 490 kg |
| 14" | 29" x 10" R14 5418675 | | 13 kg | | | 547 kg |
| 15" | 30" x 10" R15 5418676 | | 15 kg | | | 560 kg |



WHEEL SIZE

14" 15"



FRONT/REAR

PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life


| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 29" x 9" R14 5416342 | 16 mm | 14 kg | 10 | 3 | 499 kg |
| 14" | 29" x 11" R14 5416343 | | 16 kg | | | 599 kg |



WHEEL SIZE

14"

GRIP + LONGER LIFE



- 1 Firmer Durometer Rubber = Longer Life
- 2 Softer Durometer Rubber = More Grip

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS



FRONT/REAR

PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tyre life
- 10-ply construction means added protection in the toughest terrain

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 27" x 9" R14 5416947 | 30 mm | 14 kg | 10 | 3 | 531 kg |
| 14" | 27" x 11" R14 5416948 | | 15 kg | | | 599 kg |
| 14" | 29" x 10" R14 5416946 | | 18 kg | | | 630 kg |
| 15" | 30" x 10" R15 5418253 | | 16.8 kg | | | 581 kg |



WHEEL SIZE

14" 15"



FRONT/REAR

PRO ARMOR HARVESTER

- All-around work horse with tread life of 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 27" x 10" R14 5415965 | 16 mm | 15 kg | 10 | 3 | 599 kg |
| 14" | 28" x 10" R14 5416347 | | 15 kg | | | 630 kg |
| 15" | 30" x 10" R15 5417529 | | 17 kg | | | 599 kg |



WHEEL SIZE

12" 14" 15"



FRONT/REAR

PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tyre life
- Quad belt tread core offers superior protection and longer tread life

| | | TREAD DEPTH | TYRE WEIGHT | PLY RATING | SIDEWALL BELTS | LOAD RATING |
|-----|--------------------------|-------------|-------------|------------|----------------|-------------|
| 14" | 29" x 10" R14 5417507 | 31.75 mm | 18 kg | 10 | 3/1 Aramid | 598 kg |



WHEEL SIZE

14"

WHEELS



BEADLOCK REQUIRED

BEADLOCK INCLUDED

INNER & OUTER BEADLOCK INCLUDED

BEADLOCK REQUIRED

BEADLOCK INCLUDED

14" 40-SERIES

A 4201 ○

| | | |
|----------------------|---------------------|------------|
| FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +9 |
| REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: +9 |

| | | | |
|--------------|-------|----------|-------------|
| ACCENT: | FRONT | 14" x 7" | 1522956-266 |
| | REAR | 14" x 8" | 1522957-266 |
| MATTE BLACK: | FRONT | 14" x 7" | 1522956-458 |
| | REAR | 14" x 8" | 1522957-458 |

B 4202 ○

| | | |
|----------------------|---------------------|------------|
| FRONT WEIGHT: 5.8 KG | LOAD RATING: 408 KG | OFFSET: +4 |
| REAR WEIGHT: 6.1 KG | LOAD RATING: 590 KG | OFFSET: -9 |

| | | | |
|--------------|-------|----------|-------------|
| ACCENT: | FRONT | 14" x 7" | 1522544-266 |
| | REAR | 14" x 8" | 1522545-266 |
| MATTE BLACK: | FRONT | 14" x 7" | 1522544-458 |
| | REAR | 14" x 8" | 1522545-458 |

C 4203 BEADLOCK ○ ○

| | | |
|----------------------|---------------------|------------|
| FRONT WEIGHT: 5.9 KG | LOAD RATING: 408 KG | OFFSET: +4 |
| REAR WEIGHT: 6.6 KG | LOAD RATING: 590 KG | OFFSET: -9 |

| | | | |
|--------------|-------|----------|-------------|
| MATTE BLACK: | FRONT | 14" x 7" | 1522238-458 |
| | REAR | 14" x 8" | 1522239-458 |

D 4204 ○

| | | |
|----------------------|---------------------|------------|
| FRONT WEIGHT: 5.9 KG | LOAD RATING: 408 KG | OFFSET: +4 |
| REAR WEIGHT: 6.4 KG | LOAD RATING: 590 KG | OFFSET: -9 |

| | | | |
|--------------|-------|----------|-------------|
| ACCENT: | FRONT | 14" x 7" | 1522546-266 |
| | REAR | 14" x 8" | 1522547-266 |
| MATTE BLACK: | FRONT | 14" x 7" | 1522546-458 |
| | REAR | 14" x 8" | 1522547-458 |

E 4205 ○

| | | |
|----------------------|---------------------|------------|
| FRONT WEIGHT: 4.8 KG | LOAD RATING: 408 KG | OFFSET: +4 |
| REAR WEIGHT: 5.7 KG | LOAD RATING: 590 KG | OFFSET: -9 |

| | | | |
|--------------|-------|----------|-------------|
| MATTE BLACK: | FRONT | 14" x 7" | 1521507-521 |
| | REAR | 14" x 8" | 1521508-521 |
| LUSTER: | FRONT | 14" x 7" | 1521507-410 |
| | REAR | 14" x 8" | 1521508-410 |

F 4301 BEADLOCK

| | | |
|----------------|---------------------|-------------|
| WEIGHT: 7.3 KG | LOAD RATING: 729 KG | OFFSET: +38 |
|----------------|---------------------|-------------|

| | | | |
|--------------|------------|----------|---------|
| ACCENT: | FRONT/REAR | 14" x 7" | 1523284 |
| MATTE BLACK: | FRONT/REAR | 14" x 7" | 1523283 |

G HD DUAL BEADLOCK

| | | |
|---------------|---------------------|-------------|
| WEIGHT: 18 KG | LOAD RATING: 729 KG | OFFSET: +38 |
|---------------|---------------------|-------------|

| | | | |
|--------------|------------|----------|-------------|
| MATTE BLACK: | FRONT/REAR | 14" x 7" | 1524022-458 |
|--------------|------------|----------|-------------|

15" 50-SERIES

H 5201

| | | |
|----------------|---------------------|------------|
| WEIGHT: 7.8 KG | LOAD RATING: 590 KG | OFFSET: +4 |
|----------------|---------------------|------------|

| | | | |
|--------------|------------|----------|-------------|
| ACCENT: | FRONT/REAR | 15" x 7" | 1523184-266 |
| MATTE BLACK: | FRONT/REAR | 15" x 7" | 1523184-458 |

I 5202

| | | |
|----------------|---------------------|------------|
| WEIGHT: 8.1 KG | LOAD RATING: 590 KG | OFFSET: +4 |
|----------------|---------------------|------------|

| | | | |
|--------------|------------|----------|-------------|
| ACCENT: | FRONT/REAR | 15" x 7" | 1523102-266 |
| MATTE BLACK: | FRONT/REAR | 15" x 7" | 1523102-458 |

J 5203 BEADLOCK ○ ○

| | | |
|----------------|---------------------|-------------|
| WEIGHT: 7.3 KG | LOAD RATING: 590 KG | OFFSET: +38 |
|----------------|---------------------|-------------|

| | | | |
|--------------|------------|----------|-------------|
| MATTE BLACK: | FRONT/REAR | 15" x 7" | 1522435-458 |
|--------------|------------|----------|-------------|

K 5204 ○

| | | |
|----------------|---------------------|-------------|
| WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55 |
|----------------|---------------------|-------------|

| | | | |
|--------------|------------|----------|-------------|
| MATTE BLACK: | FRONT/REAR | 15" x 7" | 1522550-458 |
|--------------|------------|----------|-------------|

L 5301 BEADLOCK

| | | |
|----------------|---------------------|-------------|
| WEIGHT: 7.7 KG | LOAD RATING: 726 KG | OFFSET: +38 |
|----------------|---------------------|-------------|

| | | | |
|--------------|------------|----------|---------|
| ACCENT: | FRONT/REAR | 15" x 7" | 1523282 |
| MATTE BLACK: | FRONT/REAR | 15" x 7" | 1523266 |

○ Lug Nuts required ○ Beadlock sold separately

BEADLOCK RINGS


14" FORGED BEADLOCK RINGS

● Machined 1522244-266
4203 Beadlock & HD Dual Beadlock

● Matte Black - Replacement 1523146-458
5301 Beadlock & HD Dual Beadlock

15" FORGED BEADLOCK RINGS

● Matte Black - Replacement 1523147-458
5203 Beadlock



KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <362.9 kg 2 = 363 - 589.7 kg 3 = 590 - 726+ kg

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE
DECREASE OFFSET FROM STOCK = WIDER STANCE

KNOW YOUR TERRAIN



- Tread patterns optimized for extreme traction
- Ideal for both hard pack and loose trail



- Extra deep treads
- Self-cleaning lugs



- Triple-belted sidewalls to resist puncture
- Purpose-built, long lasting tread patterns



- Flexible "grippy" tread
- Aggressive side bite

WHEEL & TYRE SETS

14"

40-SERIES

| | TRAIL | | MUD | | UTILITY | | ROCK | |
|---|-----------------|-------------|------------|------------|---------------|---------------|----------------|----------------|
| | DUAL-THREAT 29" | TREKKER 27" | MUD XC 27" | MUD XC 29" | HARVESTER 27" | HARVESTER 28" | CRAWLER XR 28" | CRAWLER XG 30" |
| 4201 ACCENT | 2883146 | | 2884272 | 2884265 | 2882388 | 2883225 | 2882394 | 2882396 |
| 4201 MATTE BLACK | 2883147 | | 2884273 | 2884266 | 2882389 | 2883226 | 2882395 | 2882397 |
| 4202 ACCENT | 2883148 | 2890907 | 2884267 | 2884260 | 2882383 | 2883220 | 2881343 | 2881560 |
| 4202 MATTE BLACK | 2883149 | 2890905 | 2884268 | 2884261 | 2882384 | 2883221 | 2881344 | 2881561 |
| 4203 BEADLOCK MATTE BLACK <small>BEADLOCKS SOLD SEPARATELY</small> | | | | | | | 2881386 | |
| 4204 ACCENT | 2883150 | | 2884270 | 2884263 | 2882385 | 2883222 | 2881355 | 2881558 |
| 4204 MATTE BLACK | 2883151 | | 2884271 | 2884264 | 2882386 | 2883223 | 2881356 | 2881559 |
| 4205 LUSTER | | | | | | | 2881371 | 2881564 |
| 4205 MATTE BLACK | 2883152 | | 2884269 | 2884262 | 2882387 | 2883224 | 2881372 | 2881563 |
| 4301 BEADLOCK ACCENT <small>BEADLOCKS PRE-MOUNTED</small> | 2883219 | | | | | | 2883213 | 2883211 |
| 4301 BEADLOCK MATTE BLACK <small>BEADLOCKS PRE-MOUNTED</small> | 2883218 | | | | | | 2883212 | 2883210 |

REPLACEMENT CAPS

POLARIS

HD
MATTE BLACK 5457498-458



PRO ARMOR

LUSTER 5453209-410
MATTE BLACK 5453209-458

LUSTER 1523015-410
MATTE BLACK 1523015-458

MATTE BLACK 1523063-458

ALL WHEELS EXCEPT 5203 BEADLOCK & 5204

5203 BEADLOCK

5204

12mm x 1.5 SPLINED LUG NUTS

Lug Nuts required



16 SPLINED LUG NUTS WITH WRENCH ADAPTER 2879332

4 SPLINED LUG NUTS WITHOUT WRENCH 2879331

12mm x 1.5 SPLINED LUG WRENCH 2204966

15"

50-SERIES

| | TRAIL | | | UTILITY TREKKER 30" | UTILITY HARVESTER 30" | ROCK | | UTILITY CRAWLER XP 30" |
|---|----------------|----------------|----------------|---------------------|-----------------------|----------------|----------------|------------------------|
| | ATTACK 2.0 28" | ATTACK 2.0 30" | CRAWLER AT 30" | | | CRAWLER XG 28" | CRAWLER XG 30" | |
| 5201 ACCENT | 2883160 | 2883169 | 2889510 | | | 2883188 | 2883179 | 2889950 |
| 5201 MATTE BLACK | 2883159 | 2883168 | 2889511 | | | 2883187 | 2883178 | 2889951 |
| 5202 ACCENT | 2883158 | 2883167 | 2889512 | | 2885045 | 2883186 | 2883177 | 2889952 |
| 5202 MATTE BLACK | 2883157 | 2883166 | 2889513 | 2890916 | 2885046 | 2883185 | 2883176 | 2889953 |
| 5203 BEADLOCK MATTE BLACK <small>BEADLOCKS SOLD SEPARATELY</small> | 2883154 | 2883163 | 2889516 | | 2885049 | 2883182 | 2883173 | 2889956 |
| 5204 MATTE BLACK | 2883155 | 2883164 | 2889517 | | 2885051 | 2883183 | 2883174 | 2889957 |
| 5301 BEADLOCK ACCENT <small>BEADLOCKS PRE-MOUNTED</small> | 2883162 | 2883171 | 2889514 | 2890914 | 2885047 | 2883190 | 2883181 | 2889954 |
| 5301 BEADLOCK MATTE BLACK <small>BEADLOCKS PRE-MOUNTED</small> | 2883161 | 2883170 | 2889515 | 2890913 | 2885048 | 2883189 | 2883180 | 2889955 |

Lug Nuts required

2 WAYS TO PURCHASE

INDIVIDUAL WHEELS & TYRES - OR - COMPLETE SETS AS LISTED

Exclusively at Polaris Authorized Dealers

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

WINCHES

TESTED 1,200+ PULLS AT MAX LOAD

OPERATES FULLY SUBMERGED

BUILT TO WITHSTAND -29° C TEMPERATURES

MILITARY TESTED & APPROVED



ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING

WHEELS & TYRES

WINCHES, PLOWS & TRACKS

FEATURES & BENEFITS

PRO PRO HEAVY DUTY SERIES

BEST FOR PLOWING, HEAVY-DUTY OUTDOOR CHORES & TRAIL RIDING

HD HEAVY DUTY SERIES

BEST FOR THE CASUAL OFF-ROAD RIDER

ALL POLARIS ENGINEERED WINCHES COME WITH:

- ✓ INTEGRATED WIRING, MOUNT, PREASSEMBLED
- ✓ HOOK WITH STRAP
- ✓ CUT STEEL GEARS & SEALED DRIVETRAIN
- ✓ SEALED PERMANENT MAGNET MOTOR

RAPID ROPE RECOVERY




Retrieve cable 5x as fast as standard mode on other Polaris winches. Get back to riding or complete your task quicker.

1. Set winch dial to N (Neutral) to manually pull the rope out and secure the hook to your anchor point
2. Set winch dial to L (Low) for maximum pulling power while winching your load
3. Set winch dial to H (High) for retrieving the rope 5x faster with Rapid Rope Recovery



NOT AVAILABLE

AUTO STOP TECHNOLOGY



Auto Stop technology protects and extends the life of your winch by automatically stopping the winch at the end of pull to prevent over-spooling. While plowing, it prevents the plow frame from bending by stopping the winch once the plow has been lifted.



ADD AUTO STOP UPGRADE
2881288
SYNTHETIC ROPE REQUIRED



PREMIUM SYNTHETIC ROPE



With its lightweight, yet extremely strong, design and superior flexibility, this 15 m long synthetic rope is easy to handle and can stand up to any tough job.



ADD SYNTHETIC ROPE
2879187



WIRELESS REMOTE



This convenient remote operates your Polaris winch wirelessly from within 15 m of the vehicle. Operate your winch safely outside your vehicle while on the job site or trails.



ADD WIRELESS REMOTE
2881287



MODEL

2,041 kg

2,041 kg

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '19-24

2883861

TOP SELLER
2883860

PLOWS & TRACKS

PLOW SYSTEMS (WINCH REQUIRED, SOLD SEPARATELY)

Choose a Glacier Plow System, designed to help you get the most out of your GENERAL during snowy months. Select a system based on your plowing needs with premium add-ons including a hydraulic lift system or additional plow accessories.

GLACIER PRO HD PLOW SYSTEM WITH HYDRAULICS

System includes:

- Mount (2881763)
- Frame (2880260)
- 183 cm Steel Plow (2880270)
- Hydraulic Angle (2889052)
- Hydraulic Controller (2883391)
- Plow Markers (2872726)
- Plow Deflector (2858541)

» 3880014

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Requires lift method:
See winches below.

GLACIER PRO HD PLOW SYSTEM

System includes:

- Mount (2881763)
- Frame (2880260)
- 168 cm Poly Plow (2880269)

» 3880015

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Requires lift method:
See winches and hydraulic lift options below.

GLACIER HD PLOW SYSTEM

System includes:

- Mount (2883256)
- Frame (2882927)
- 183 cm Steel Plow (2889307)

» 3880016

GENERAL XP 1000/4 '20-24
GENERAL 1000/4 '16-24

Requires lift method:
See winches and hydraulic lift options below.

CHOOSE A PLOW SYSTEM

ACCESSORIES

WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

AUDIO

LIGHTING


WHEELS & TYRES

WINCHES, PLOWS & TRACKS

GLACIER PRO HD PLOW SYSTEM

GLACIER PRO HD GIVES YOU

183 cm or 168 cm Blades Choice of poly or steel Manual angle system standard



168 cm POLY BLADE
BEST FOR CORROSION RESISTANCE




183 CM STEEL BLADE
BEST FOR BIG JOBS YEAR AFTER YEAR

| CREATE YOUR PLOW SYSTEM | STEP 1 SELECT A MOUNT | STEP 2 SELECT A FRAME | STEP 3 SELECT A LIFT METHOD | STEP 4 SELECT A BLADE | STEP 5 SELECT ACCESSORIES |
|---|--------------------------|------------------------------|---|---|---|
| GENERAL XP 1000/4 '20-24 GENERAL 1000/4 '16-24 | 2881763 | TOP SELLER 2880260 | Polaris PRO HD 2,041 kg Winch 2883861 GENERAL XP 1000/4 '20-24 GENERAL 1000/4 '19-24 Hydraulic Plow Angle 2889052 GENERAL 1000/4 '16-18 Hydraulic Plow Controller 2883391 GENERAL XP 1000/4 '20-24 GENERAL 1000/4 '16-24 | TOP SELLER 183 cm Steel 2880270 168 cm Poly 2880269 TOP SELLER 168 cm Steel 2880268 | 183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Blade Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 Heavy Duty Deflector 2884160 |

GLACIER HD PLOW SYSTEM

GLACIER HD GIVES YOU

168 cm Blades Choice of poly or steel Manual angle system standard



168 CM POLY BLADE
BEST FOR CORROSION RESISTANCE



168 CM STEEL BLADE
BEST FOR BIG JOBS YEAR AFTER YEAR

Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

| CREATE YOUR PLOW SYSTEM | STEP 1 SELECT A MOUNT | STEP 2 SELECT A FRAME | STEP 3 SELECT A LIFT METHOD | STEP 4 SELECT A BLADE | STEP 5 SELECT ACCESSORIES |
|---|--------------------------|--------------------------|--|--|--|
| GENERAL XP 1000/4 '20-24 GENERAL 1000/4 '16-24 | 2883256 | 2889307 | Polaris HD 2,041 kg Winch 2883860 GENERAL XP 1000/4 '20-24 GENERAL 1000/4 '19-24 | 168 cm Poly 2880269 TOP SELLER 168 cm Steel 2880268 | 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829 |

BUILD A PLOW SYSTEM

PROSPECTOR PRO TRACK MOUNTS

• Install in place of tires and wheels. Tracks sold separately.

» 2880649
GENERAL 1000/4 '16-24

» 2885117
GENERAL XP 1000/4 '20-24

PROSPECTOR PRO 2.0 TRACK SYSTEM

» 2889487

GENERAL 1000/4 '16-24
GENERAL XP 1000/4 '20-24

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)



POLARIS
GENERAL



POLARIS

Think Outside

Polaris reserves the right to withdraw any product from sale or change specifications and pricing without notice. Confirm model specifications and availability with your Polaris Dealer prior to ordering. The Polaris range is not intended for and may not be registered for on-road use. All photography taken with professional riders and drivers. For your safety, always operate Polaris products as instructed in the product manual and on warning labels. Never carry passengers on any product not designed for such use. Preserve your future riding opportunities by showing respect for the environment, local laws and the rights of others. Avoid excessive speeds and be particularly careful on difficult terrain. Polaris Sales Australia Pty Ltd ABN 62 088 081 949.